**TopShield®**
Uncompromising Quality in Residential Roofing

THE FINISHING
TOUCH OF FLASHING

Offering products produced from the highest-quality materials available, we bring you the most complete line of residential flashing products in the industry. Available painted finishes include a two-coat, baked-on polyester enamel paint for years of worry-free service and minimal maintenance, complete with a 40-year warranty. They are also resistant to corrosion, fading and chalking, while providing excellent color retention. Offering all the shapes and sizes used nationwide, we are your source for every flashing product you need. Custom and specialty products are available upon request.

BENEFITS OF FLASHING

The most pervasive and difficult-to-control weather element threatening your roof is water. Made from durable, low-maintenance materials, TopShield® flashing options help mitigate the risk of water damage to susceptible areas like roof valleys, chimneys, eaves, skylights, ridges and more. Extend the life of your roof while giving your home a great finishing touch by taking advantage of the following top-quality products:

• Roof edges
• Gutter apron
• Roll valley metal
• Formed valley metal
• Flashing shingles

LIMITED 40-YEAR WARRANTY!

*Quality products backed by excellent support.*

PAINT OPTIONS

STEEL:

WHITE	FROST WHITE	IVORY	LIGHT STONE	CLAY MIST
SMOKE GRAY	CHARCOAL GRAY	TERITONE	EARTH BROWN	MOCHA
BLACK				

ALUMINUM:

WHITE	280 WHITE	ALMOND	MEDIUM TAUPE/ CLAY	TERITONE
GREEN	BROWN	BLACK		

ROOF EDGE

1"x2" STYLE A ROOF EDGE

1-1/2"x1-1/2" STYLE A ROOF EDGE
(AVAILABLE WITH EMBOSSING)

2"x2" STYLE A ROOF EDGE

2"x4" STYLE A ROOF EDGE

3"x3" STYLE A ROOF EDGE

4-1/2" STYLE SR ROOF EDGE

5" STYLE SR ROOF EDGE

5" STYLE SRLL ROOF EDGE

5-1/2" STYLE SRLL ROOF EDGE

5-1/2" STYLE L ROOF EDGE

6" STYLE L ROOF EDGE

6" STYLE LL ROOF EDGE

20" AND 24" W VALLEY

20" STYLE W FORMED VALLEY WITH HEMS 10'

3/16" Hem
128°
1"
8-5/8"

24" STYLE W FORMED VALLEY WITH HEMS 10'

3/16" Hem
128°
1"
10-5/8"

ALUMINUM AND STEEL ROLL VALLEY

BARE ALUMINUM
– 4"x50'
– 6"x50'
– 8"x50'
– 10"x50'
– 12"x50'
– 14"x50'
– 16"x50'
– 18"x50'
– 20"x50'
– 24"x50'
– 28"x50'
– 30"x50'
– 36"x50'

GALVANIZED STANDARD (.010)
– 6"x50'
– 8"x50'
– 10"x50'
– 12"x50'
– 14"x50'
– 16"x50'
– 18"x50'
– 20"x50'
– 24"x50'

PAINTED AND GALVANIZED STEEL (.012)
– 10"x25'
– 20"x25'

GUTTER APRON

3"
108°
2"
3/8"

2"x3" GUTTER APRON WITH HEMS

4"
108°
2"
3/8"

2"x4" GUTTER APRON WITH HEMS

STEP FLASHING

CRIMP SHINGLE

FLAT SHINGLE

– 5"x7" SHINGLES WITH CRIMP (2"x3"x7")
– 6"x8" SHINGLES
– 7"x7" SHINGLES WITH CRIMP (3"x4"x7")
– 8"x8" SHINGLES
– 8"x8" SHINGLES WITH CRIMP (4"x4"x8")
– 8"x14" SHINGLES

ANGLE FLASHING

#2603
3"
90°
FS
3"

4"x5" INSIDE ANGLE FLASHING (90 DEGREES)

#2603
3"
120°
FS
3"

4"x5" INSIDE ANGLE FLASHING (120 DEGREES)

TopShield®

Uncompromising Quality in Residential Roofing