




TSDA-4 FEATURES

- 2½" ring shank nails included
- Made from the same durable, long lasting and field tested material as the TopShield® Omni Series vents
- Fits roof pitches 3/12 to 16/12
- Unique design provides enhanced weather protection
- Integrated end plug every 2 inches
- 9 square inches of Net Free Area per linear foot
- Molded nail lines
- Slot width guidelines
- Patented design
- The TSDA-4 can be used as an intake vent (see reverse).
- **Lifetime Limited Warranty**



1. Engineered material guarantees longevity
2. Molded-in cut lines for tapered transitions
3. 10 supported nail holes
4. Shingle stop alignment tabs
5. Exterior baffle design prevents debris build-up
6. Fully supported tapered transition

TopShield® recommends balancing the intake ventilation system to the chosen exhaust ventilation system, a balanced system consists of 50% intake ventilation and 50% exhaust ventilation.



Scan the QR code to access additional information


SPECIFICATIONS

Model	Length (ft)	Roof Pitch	NFA (in.²)	Packaged
TSDA-4	4	3/12 to 16/12	36	10 Per Box

Revised on 8/21/2022

Deck-Air[®]

As Intake Vent



Net Free Area Verified

TSDA-4 FEATURES

- 2½" ring shank nails included
- Made from the same durable, long lasting and field tested material as the TopShield[®] Omni Series vents
- Fits roof pitches 3/12 to 16/12
- Unique design provides enhanced weather protection
- Integrated end plug every 2 inches
- 9 square inches of Net Free Area per linear foot
- Molded nail lines
- Slot width guidelines
- Patented design
- The TSDA-4 can be used as an exhaust vent (see reverse).
- **Lifetime Limited Warranty**

1. Engineered material guarantees longevity
2. Molded-in cut lines for tapered transitions
3. 10 supported nail holes
4. Shingle stop alignment tabs
5. Exterior baffle design prevents debris build-up
6. Fully supported tapered transition

TopShield[®] recommends balancing the intake ventilation system to the chosen exhaust ventilation system, a balanced system consists of 50% intake ventilation and 50% exhaust ventilation.

SPECIFICATIONS

Model	Length (ft)	Roof Pitch	NFA (in. ²)	Packaged
TSDA-4	4	3/12 to 16/12	36	10 Per Box



Scan the QR code to access additional information

Revised on 8/21/2022