# Safety Data Sheet TS-Seam04-FB 1/11/18



## **Section 1 - Product and Company Identification**

Material Name - TopShield Seam and Repair Tape - Fleece Back 4"x50"

Chemical Category - Article

Product Code - TS-Seam04-FB

Product Use - Metal Roof Flashing Product

**Distributor** - APOC

4161 E. 7th Avenue Tampa, FL 33605 United States

**Telephone** 

**Technical** - 813-248-2101 **Emergency** - 800-424-9300

Last Revision Date - 1/11/2018

#### Section 2 - Hazards Identification

#### Signal Word - None

#### **GHS Hazards and Precautions**

The mixture does not meet the criteria for classification.

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

Storage/Disposal Store away from incompatible materials. Dispose of waste and residues in accordance with local

authority requirements.

#### GHS Hazard Symbol - Not Required

Physical Form - Solid Tape

Color - Multiple

Odor - Not Identified

Flash Point - 428°F(220°C)

OSHA(HCS2012) - Not classified.

WHMIS - Not classified.

GHS - Not classified.

Route Of Entry - Inhalation, Skin, Eye, Ingestion/Oral

Medical Conditions Aggravated by - Not Classified

**Exposure** 

**Potential Health Effects** 

Inhalation

**Acute (Immediate)** - Expected to be a low ingestion hazard.

Chronic (Delayed) - Not Classified

Skin

Acute (Immediate)

- No adverse effects due to skin contact are expected.

- This product is not expected to cause skin sensitization.

⊨ye

**Acute (Immediate)** - Direct contact with eyes may cause temporary irritation.

Chronic (Delayed)

Ingestion

Acute (Immediate) - Not Classified
Chronic (Delayed) - No data available

**Carcinogenic Effects** 

- This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

## Section 3 - Composition/Information on Ingredients

Not Classified

Components						
Chemical Name	CAS	%(wt)	UN;EINECS	LD50/LC50	Classifications According to Regulation/Directive	Other
Talc (Powder)	14807- 96-6	10- <20%				NDA
Other components below reportable levels	1332- 58-7	10- <90%				NDA

This product is an encapsulated mixture which reduces the likelihood of exposure particulates.

See Section 11 for Toxicological Information.

### Section 4 - First Aid Measures

Inhalation - Move to fresh air. Call a physician if symptoms develop or persist.

**Skin** - Wash off with soap and water. Get medical attention if irritation develops and persists.

**Eye** - Rinse with water. Get medical attention if irritation develops and persists.

**Ingestion** - Rinse mouth. Get medical attention if symptoms occur.

Other Information - Direct contact with eyes may cause temporary irritation. Ensure that medical personnel are

aware of the material(s) involved, and take precautions to protect themselves.

See Section 2 for Potential Health Effects.

#### Section 5 - Fire Fighting Measures

**Extinguishing Media** 

**Unsuitable Extinguishing** 

Media

**Firefighting Procedures** 

- Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

- Do not use water jet as an extinguisher, as this will spread the fire.

- Use water spray to cool unopened containers. Use standard firefighting procedures and consider the hazards of other involved materials.

**Unusual Fire and Explosion** 

Hazards

**Hazardous Combustion** 

**Products** 

Flash Point

**Protection of Firefighters** 

No unusual fire or explosion hazards noted.

During fire, gases hazardous to health may be formed.

- Self-contained breathing apparatus and full protective clothing must be worn in

case of fire.

#### Section 6 - Accidental Release Measures

**Personal Precautions**- Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

**Emergency Procedures** - Keep unnecessary personnel away.

**Environmental Precautions** - Avoid discharge into drains, water courses or onto the ground.

Containment/Clean-up

Measures

Prohibited Materials

No Information Available

- None listed

## **Section 7 - Handling and Storage**

Handling Storage

- Avoid prolonged exposure. Observe good industrial hygiene practices.

- Store in original tightly closed container. Store away from incompatible materials

(see Section 10 of the SDS).

Incompatible Materials or

**Ignition Sources** 

No Listing

## **Section 8 - Exposure Controls/Personal Protection**

**Personal Protective Equipment** 

**Pictograms** 

# 00

Respiratory Eye/Face

- In case of insufficient ventilation, wear suitable respiratory equipment.

- Wear safety glasses with side shields (or goggles).

- Wear appropriate chemical resistant gloves.

Skin/Body

Hands

Wear suitable protective clothing.

**General Industrial Hygiene** 

Considerations

- Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work

clothing and protective equipment to remove contaminants.

Engineering Measures/Controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established maintain airborne levels to an acceptable level.

been established, maintain airborne levels to an acceptable level.

**Exposure Limits/Guidelines** 

- Refer to listed exposure limits in state information of this section.

Exposure Limits/Guidelines						
	Result	ACGIH	NIOSH	OSHA		
Talc (powder) CAS-14807-96-6			2 mg/m3 TWA (respirable fraction)	0.3 mg/m3 Total Dust		
	T\A/Ac	2 mg/m3 TWA (respirable fraction)		0.1 mg/m3 Respirable		
	TWAS	2 mg/m3 rwa (respirable fraction)		20 mppcf		
				2.4 mppcf Respirable		

# Section 9 - Physical and Chemical Properties

Physical Form - Solid Rolls or Sheets

**Appearance/Description** - Various film colors, gray adhesive

Color: Various film colors, gray	adhesive	Odor: Slight			
Taste: No data available.		Odor Threshold: NDA			
Boiling Point:	NDA	Vapor Pressure:	NDA		
Melting Point:	NDA	Vapor Density:	NDA		
Specific Gravity/Relative	1.04 estimated	Evaporation Rate:	NDA		
Density:					
Auto-Ignition Temperature	>842 F (>450 C)	VOC (Wt.):	NDA		
Bulk Density:	NDA	VOC (Vol.):	NDA		

Solvent Solubility:	NDA	Flash Point:	428°F(220°C)
Viscosity:	NDA	Flash Point Test Type:	NDA

## Section 10 - Stability and Reactivity

Stability

Material is stable under normal conditions.

**Hazardous Polymerization** 

Hazardous polymerization not indicated.

**Conditions to Avoid Incompatible Materials**  Avoid temperatures exceeding the flash point. Contact with incompatible materials.

Strong oxidizing agents.

**Hazardous Decomposition** 

No hazardous decomposition products are known.

**Products** 

# Section 11 - Toxicological Information

Component Name	Concentration	CAS	Data
Talc (powder)	10-<20%	14807-96-6	

IARC Monographs. Overall Evaluation of

2B Possibly carcinogenic to humans.

Carcinogenicity Other Information 3 Not classifiable as to carcinogenicity to humans.

Reproductive toxicity

(Talc) Prolonged skin contact may cause temporary irritation.

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

Not classified.

single exposure

Not classified.

Specific target organ toxicity repeated exposure

Not available.

**Aspiration hazard Chronic effects** 

Prolonged inhalation may be harmful.

## Section 12 - Ecological Information

**Ecological Fate** 

The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence/Degradability **Bioaccumulation Potential** 

No data is available on the degradability of this product. No data available.

**Mobility in Soil** 

No data available.

Other adverse effects

No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

# Section 13 - Disposal Considerations

**Product** 

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose in accordance with all applicable regulations. The waste code should be assigned in discussion between the user, the producer and the waste disposal company. Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

**Packaging** 

Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.

## Section 14 - Transportation Information

**DOT - United States - Department of Transportation: Shipping Name:** Not Regulated as Dangerous Goods

IATA - International Air Transport Association:

Shipping Name: Not Regulated as Dangerous Goods

**IMO/IMDG** –International Maritime Transport:

Shipping Name: Not Regulated as Dangerous Goods

#### Section 15 - Regulatory Information

SARA Hazard Classifications

Risk & Safety Phrases

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

SARA 304 Emergency release notification

OSHA Specifically Regulated Substances (29 CFR

1910.1001-1050)

SARA 302 Extremely hazardous substance

SARA 311/312 Hazardous SARA 313 (TRI reporting)

Clean Air Act (CAA) Section 112 Hazardous Air

**Pollutants (HAPs) List** 

Clean Air Act (CAA) Section 112(r) Accidental

Release Prevention (40 CFR 68.130)

Safe Drinking Water Act

**US. California Proposition 65** 

Not Classified

 All components are on the U.S. EPA TSCA Inventory List. This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

Not regulated.

Not regulated.
 Not regulated.

Not regulated.

Not listed.

- No

Not regulated.

Not regulated.

Not regulated.

- Not regulated.

Titanium Dioxide is listed due to its respirable nature in powder form. As supplied and applied the titanium dioxide is bound within the product matrix and is not expected to be in a respirable form. WARNING: This product contains a chemical known to the State of California to cause cancer.

State Right To Know					
Component	CAS	MA	MN	NJ	PA
Talc (powder)	14807-96-6	Yes	N/A	Yes	Yes

#### **Section 16 - Other Information**

**Last Revision Date** 

- 1/11/2018

**Prepared By** 

- GG Inc.

**Disclaimer/Statement of Liability** 

This information relates to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made as to its accuracy, reliability or completeness. It is the user's responsibility to verify the suitability and completeness of such information for particular use. APOC does not accept liability for any loss or damage that may occur from the use of this information.